

Nimi	Kood	Eripära	Hind
			12.07.22

Aimpoint PRO	12841	CET Technology NVD compatible QRP2 mount Spacer, standard front flip up cover and transparent rear lens cover No changes can be made in the configuration	555.6
-------------------------	-------	--	-------

Aimpoint® CompM3	11408	ACET Technology NVD compatible 2 MOA	643.20
	11403	ACET Technology NVD compatible 4 MOA	643.20

Aimpoint Duty RDS	200758	Aimpoint® Duty RDS 2 MOA With mount Including flip-up lens cover front, transparent flip-up lens cover rear and Torx tool 30 mm optical axis NVD compatible	538.80
	200759	Aimpoint® Duty RDS 2 MOA With mount Including flip-up lens cover front, transparent flip-up lens cover rear and Torx tool 39 mm optical axis NVD compatible	538.80

Aimpoint®	11972	Aimpoint® CompM4 - Complete ACET Technology NVD compatible Switch is placed in clock direction 2 QRP 2 mount ARD filter, rubber lens cover, standard spacer	891.60
	12309	Aimpoint® CompM4 - sight without mount and accessories ACET Technology NVD compatible	699.60

CompM4

Switch is placed in clock direction 2
Rubber lens cover

200199 **Aimpoint® CompM4 - with spacer and LRP mount** 980.40

ACET Technology
NVD compatible
Switch is placed in clock direction 2
LRP mount
ARD filter, Flip-Up covers back and front, standard spacer

Aimpoint® CompM4S

12172 **Aimpoint® CompM4 - Complete** 891.60

ACET Technology
NVD compatible
Switch is placed in clock direction 5
QRP 2 mount
ARD filter, rubber lens cover, standard spacer

12308 **Aimpoint® CompM4 - sight without mount and accessories** 699.60

ACET Technology
NVD compatible
Switch is placed in clock direction 5
Rubber lens cover

2000080 **Aimpoint® CompM4 - with spacer and LRP mount** 980.40

ACET Technology
NVD compatible
Switch is placed in clock direction 5
LRP mount
ARD filter, Flip-Up covers back and front, standard spacer

200350 **Aimpoint® CompM5 - Complete** 880.8

ACET Technology
NVD compatible
Including mounting solution for Weaver/Picatinny
flip-up lens cover front
transparent flip-up lens cover rear
2 MOA

200320 **Aimpoint® CompM5 - sight without mount and accessories** 771.6

ACET Technology
NVD compatible
flip-up lens cover front

Aimpoint® CompM5

transparent flip-up lens cover rear
2 MOA

200468 **Aimpoint® CompM5 - with LRP mount** 903.6

ACET Technology
NVD compatible
LRP Mount
flip-up lens cover front
transparent flip-up lens cover rear
2 MOA
22 mm optical axis

200381 **Aimpoint® CompM5 - with 30 mm spacer and LRP mount** 960

ACET Technology
NVD compatible
LRP Mount
30 mm Spacer
flip-up lens cover front
transparent flip-up lens cover rear
2 MOA

200386 **Aimpoint® CompM5 - with 39 mm spacer and LRP mount** 960

ACET Technology
NVD compatible
LRP Mount
39 mm Spacer
flip-up lens cover front
transparent flip-up lens cover rear
2 MOA

200384 **Aimpoint® CompM5 - with 33 mm spacer and LRP mount a** 1046.4

ACET Technology
NVD compatible
LRP Mount
33 mm Spacer
ARD Filter
flip-up lens cover front
transparent flip-up lens cover rear
2 MOA

200660 **Aimpoint® CompM5 - sight without mount and accessories** 771.6

ACET Technology
NVD compatible
flip-up lens cover front
transparent flip-up lens cover rear

Aimpoint® CompM5S	2 MOA		
	200626	Aimpoint® CompM5 - with LRP mount	960
		ACET Technology NVD compatible LRP Mount 30 mm Spacer transparent flip-up lens cover rear 2 MOA	
	200500	Aimpoint® CompM5 - with 39 mm spacer and LRP mount	960
	ACET Technology NVD compatible LRP Mount 39 mm Spacer flip-up lens cover front transparent flip-up lens cover rear 2 MOA		

Aimpoint® CompM5b	200624	Aimpoint® CompM5b - with 39 mm optical axis	1102.8
		LRP Mount standard configuration with an included spacer	
	200623	Aimpoint® CompM5b with 30 mm optical axis	1158
		alternative configuration LRP mount	
	200711	Blank Turret	55.2
	200713	Drill Tool	117.6
	200731	Turret A	22.8
200732	Turret B	22.8	
200733	Turret C	22.8	
200734	Turret D	22.8	

Aimpoint®	12417	Aimpoint® Micro T-1	781.2
		ACET Technology NVD compatible Including mounting solution for Weaver/Picatinny Rubber lens cover 2 MOA	

Micro T-1

Aimpoint® Micro T-2	200170 Aimpoint® Micro T-2 880.8
	ACET Technology NVD compatible Including mounting solution for Weaver/Picatinny flip-up lens cover front transparent flip-up lens cover rear 2 MOA
	200180 Aimpoint® Micro T-2 - sight without mount 771.6
	ACET Technology NVD compatible flip-up lens cover front transparent flip-up lens cover rear 2 MOA
	200212 Aimpoint® Micro T-2 with LRP mount 903.6
ACET Technology NVD compatible LRP Mount flip-up lens cover front transparent flip-up lens cover rear 2 MOA	
200197 Aimpoint® Micro T-2 with 30 mm spacer and LRP mount 960	
ACET Technology NVD compatible LRP Mount 30 mm Spacer flip-up lens cover front transparent flip-up lens cover rear 2 MOA	
200467 Aimpoint® Micro T-2 with 33 mm spacer and LRP mount 960	
ACET Technology NVD compatible LRP Mount 33 mm spacer flip-up lens cover front	

	transparent flip-up lens cover rear 2 MOA	
	200198 Aimpoint® Micro T-2 with 39 mm spacer and LRP mount	960
	ACET Technology NVD compatible LRP Mount 39mm spacer flip-up lens cover front transparent flip-up lens cover rear 2 MOA	

Aimpoint® Acro P-2	200691 Aimpoint® Acro P-2	615.6
	NVD compatible KÕIK ACRO P-2 Lisad on lehe lõpus!	

Aimpoint® 3XMag-1	200271 Aimpoint® 3XMag-1	889.2
	3X magnification with variable (-3 to +3) dioptic setting without ring Field of view (FOV): 7°	
	200333 Aimpoint® 3XMag-1 with FlipMount 30 mm and TwistMount	1327.2
	3X magnification with variable (-3 to +3) dioptic setting, with FlipMount and TwistMount base Field of view (FOV): 7° 30 mm optical height ring Incl. Allen key	
	200334 Aimpoint® 3XMag-1 with FlipMount 39 mm and TwistMount	1327.2
	3X magnification with variable (-3 to +3) dioptic setting, with FlipMount and TwistMount base Field of view (FOV): 7° 39 mm optical height ring Incl. Allen key	
	200335 Aimpoint® 3XMag-1 with TwistMount	1142.4
	3X magnification with variable (-3 to +3) dioptic setting, with TwistMount base Field of view (FOV): 7° 30 mm optical height ring Incl. Allen key	

	200336	Aimpoint® 3XMag-1 with TwistMount and spacer	1164
		3X magnification with variable (-3 to +3) dioptic setting, Spacer with TwistMount base Field of view (FOV): 7° 30 mm optical height ring Incl. Allen key	

Aimpoint® 6XMag-1	200272	Aimpoint® 6XMag-1 with TwistMount	933.6
		6X magnification with variable (-3 to +3) dioptic setting without ring Field of view (FOV): 3°	
	200339	Aimpoint® 6XMag-1 with TwistMount	1186.8
		6X magnification with variable (-3 to +3) dioptic setting with TwistMount base Field of view (FOV): 3° 30 mm optical height ring Incl. Allen key	
	200340	Aimpoint® 6XMag-1 with TwistMount and spacer	1207.2
		6X magnification with variable (-3 to +3) dioptic setting with TwistMount base and spacer Field of view (FOV): 3° 39 mm optical height spacer with ring Incl. Allen key	

Aimpoint®	200273	Aimpoint® 3X-C	315.6
		3X magnification with variable (-2 to +2) dioptic setting without ring Field of view (FOV): 6° Shock absorbing protective rubber cover	
	200341	Aimpoint® 3X-C with FlipMount 30 mm and TwistMount ba	753.6
		3X magnification with variable (-2 to +2) dioptic setting with FlipMount and TwistMount base Field of view (FOV): 6° Shock absorbing protective rubber cover 30 mm optical height ring Incl. Allen key	
	200342	Aimpoint® 3X-C with FlipMount 39 mm and TwistMount ba	753.6
		3X magnification with variable (-2 to +2) dioptic setting with FlipMount and TwistMount base Field of view (FOV): 6°	

3X-C

Shock absorbing protective rubber cover
39 mm optical height ring
Incl. Allen key

200343 Aimpoint® 3X-C with TwistMount 568.8

3X magnification with variable (-2 to +2) dioptic setting
with TwistMount base
Field of view (FOV): 6°
Shock absorbing protective rubber cover
30 mm optical height ring
Incl. Allen key

200344 Aimpoint® 3X-C with TwistMount and spacer 589.2

3X magnification with variable (-2 to +2) dioptic setting
with TwistMount base and spacer
Field of view (FOV): 6°
Shock absorbing protective rubber cover
39 mm optical height spacer with ring
Incl. Allen key

200286 Ring 99.6

Ring, 30 mm, Wide
Aimpoint® Comp series
Fits Weaver and Picatinny rail
Incl. screws and Allen key

12195 QRP2 86.4

Quick Release Picatinny (MIL-STD 1913) mount
Fits CompM4 and Ring Base and Top
Returns to zero after remounting
Incl. screws, Allen key and thread lock

12923 QRP3 123.6

Quick Release mount for Picatinny base
for the Aimpoint® Comp series
Returns to zero after remounting
(Spacer is necessary for M4 flat top rifles and carbines)
Optical centre over top of Picatinny rail 30 mm
Incl. screws and Allen key

SIGHT MOUNTS

200388	Mount Micro T-1/T-2 and CompM5	97.2
	Fits Picatinny rail Incl. screws and too	
12197	Mount TNP	121.2
	Torsion Nut Picatinny (MIL-STD 1913) mount Fits Aimpoint® CompM4 and Ring Base and Top Incl. screws, Allen key and thread lock	
12198	Mount LRP	121.2
	Lever Picatinny (MIL Std 1913) mount Fits Aimpoint® CompM4 and Ring Base and Top Incl. screws, Allen key and thread lock Returns to zero after remounting	
12905	Mount LRP	121.2
	Mount LRP for Aimpoint® Micro and Aimpoint® CompM5 Lever Picatinny (MIL Std 1913) mount Optimized for Aimpoint® CompM5 and Micro T-2, also fits Aimpoint® Micro T-1 Incl. screws, Allen key and thread lock Returns to zero after remounting	
12215	Mount, Micro Dovetail	110.4
	11 mm Dovetail Mount Fits Aimpoint® Micro series Incl. screws and tool	
12437	Mount, Micro Glock	84
	Direct interface to the slide of the Glock pistols Incl. screws, Allen key, tool and thread lock	
12184	Mount, Micro LRP conversion kit	55.2
	Kit to convert Micro mount to Lever Release Picatinny and Weaver. Fits Aimpoint® Micro series Contains bar locking, shaft, lever and two springs	
12227	Spacer	21.6
	Optical centre over top of rail QR + spacer 39 mm Incl. screws and Allen key	
12192	Spacer - Standard	39.6
	Spacer for Aimpoint® CompM4, CompM3 and PRO series Incl. screws, Allen key and thread lock	

SIGHT SPACERS

12193	Spacer - Extension	48
	Spacer for Aimpoint® CompM4, CompM3 and PRO series Incl. screws, Allen key and thread lock	
12357	Spacer 30 mm	55.2
	Spacer for Aimpoint® Micro and Aimpoint® CompM5 sights Optical centre will be 30 mm on top of rail Incl. screws, tool and thread lock	
200348	Spacer 33 mm	55.2
	Spacer for Aimpoint® Micro and Aimpoint® CompM5 sights Optical centre will be 33 mm on top of rail Incl. screws, tool and thread lock	
12358	Spacer 39 mm	55.2
	Spacer for Aimpoint® Micro and Aimpoint® CompM5 sights Optical centre will be 39 mm on top of rail Incl. screws, tool and thread lock	
200662	Spacer 39 mm	55.2
	Spacer for Aimpoint® CompM5s sights only Optical centre will be 39 mm on top of rail Incl. screws, tool and thread lock	

ADAPTER

12194	Base and Top Ring	46.8
	30 mm ring Fits QRP2, QRW2, LRP and TNP mount Incl. screws and Allen key	
200152	Mount Adapter	99.6
	30 mm Tube ring for scopes Incl. screws and Allen key	
200153	Mount Adapter	99.6
	34 mm Tube ring for scopes Incl. screws and Allen key	

12234	TwistMount	247.2
	Quick Release ring and base for Aimpoint Magnifier Modules Fits on Picatinny rail Incl. Screws and Allen key	

MAGNIFIER MOUNTS

12238	TwistMount ring	82.8
	Separate ring for TwistMount 30 mm optical height Incl. Screws and Allen key	
12236	TwistMount base	164.4
	Separate base for TwistMount Fits on Picatinny rail	
200248	FlipMount 30 mm	267.6
	Separate ring for TwistMount base 30 mm optical height Incl. Screws and Allen key	
200249	FlipMount 39 mm	267.6
	Separate ring for TwistMount base 39 mm optical height 39 mm optical height	
200250	FlipMount 30 mm with TwistMount base	432
	Flip to side function ring and base Fits on Picatinny rail Incl. Screws and Allen key	
200251	FlipMount 39 mm with TwistMount base	432
	Flip to side function ring and base for Fits on Picatinny rail Incl. Screws and Allen key	

KILLFLASH

12239	Filter, ARD	54
	Killflash filter All CET and ACET series	

Aimpoint® CEU

12156	Aimpoint® CEU	393.6
12203	Ring CEU high rise	81.6
	Ring for Aimpoint® CEU Fits on TwistMount base 39 mm height of optical axis	
12202	Ring CEU low rise	81.6
	Ring for Aimpoint® CEU Fits on TwistMount base 30 mm height of optical axis	
200259	Aimpoint® CEU with high (39 mm) top ring TwistMountand	646.8

	200260	Aimpoint® CEU with low (30 mm) top ring TwistMount and 	646.8
	12148 spare	Aimpoint® Eye cup for CEU	19.2

B&T ERI* MOUNTID	10266	B&T Mount, MP5 HKLPA	172.8
		Fits Aimpoint® CompM2 and Aimpoint® CompM3 with standard ring, as well as Aimpoint® Micro (BT-10266)	
	12687	B&T Mount, HK MP5 Low Mount	172.8
		Low profile Co-Witn. (with iron sights visible through the Aimpoint® sight) For HK, MP5 (BT-21222)	
	10603	B&T Mount, HKUNI	216
		MP5, HK33, HK53, G3 (BT-21262)	
	10773	B&T Mount, HKMR mid range	172.8
		MP5, HK53 Suitable for use with protective masks Iron sights visible through mount (BT-21256)	

KUMMIST ÜMBRIS	12226	Outer rubber cover for Aimpoint® CompM3/ML3	38.4
		Dark Earth Brown Replacable	
	12225	Outer rubber cover for Aimpoint® CompM3/ML3	38.4
		Black Replacable	
	200231	Outer rubber cover for Aimpoint® Micro T-2	61.2

ARD FLIP- UP COVERS	12462	Lens cover, Flip-up, Front with ARD filter	94.8
		Black	
	200122	Lens cover, Flip-up, Front with ARD filter	96
		Transparent All CET and ACET series	
	200194	Lens cover, Flip-up, Front with ARD filter	93.6
		Black Aimpoint® Micro T-2 and CompM5	
	200195	Lens cover, Flip-up, Front with ARD filter	96
		Transparent Aimpoint® Micro T-2 and CompM5	

LENS COVER FLIP- UP FRONT	12223	Lens cover, Flip-up, Front BlackAll CET and ACET series	21.6
	12241	Lens cover, Flip-up, Front TransparentAll CET and ACET series	22.8
	200191	Lens cover, Flip-up, Front BlackAimpoint® Micro T-2 and CompM5	20.4
	200192	Lens cover, Flip-up, Front TransparentAimpoint® Micro T-2 and CompM5	21.6

LENS COVER FLIP- UP REAR	12240	Lens cover, Flip-up, Rear TransparentAll 30 mm sights	22.8
	200202	Lens cover, Flip-up, Rear BlackAimpoint® Micro T-2 and CompM5	21.6
	200193	Lens cover, Flip-up, Rear TransparentAimpoint® Micro T-2 and CompM5	22.8
	12224	Lens cover, Flip-up, Rear BlackAll CET and ACET series	21.6

LENS COVER Front and Back	12205 Lens cover Front/Back - Rubber	18
	Aimpoint® CompM4	
	12204 Lens cover Front/Back - Rubber	15.6
	BlackAimpoint® Micro T-1	
12228 Lens cover Front/Back - Rubber	15.6	
	Black Aimpoint® CompM2, Aimpoint® CompML2, Aimpoint® CompM3, Aimpoint® CompML3 with QR	

KORGID (PATAREI)	200425 Battery cap	49.2
	Aimpoint® CompM5 Battery cap with O-ring and rubber sealing	
	10634 spare Battery cap	14.4
	Aimpoint® CompM2, Aimpoint® CompML2, Aimpoint® CompM3, Aimpoint® CompML3 produced before 2014 Battery cap with O-ring and rubber sealing	
	10631 spare Battery cap	15.6
	Aimpoint® CompM2, Aimpoint® CompML2, Aimpoint® CompM3, Aimpoint® CompML3 produced 2014 and after Battery cap with O-ring and rubber sealing	
	12920 Cap switch	10.8
	Aimpoint® CompM2, Aimpoint® CompML2, Aimpoint® CompM3, Aimpoint® CompML3 Cap switch with screws	
200424 Cap adjustment screw	15.6	
Aimpoint® CompM5 Cap adjustment screw with O-ring		
12306 Cap adjustment screw	13.2	
All CET and ACET series produced 2015 and after and Aimpoint® CompM4 Cap adjustment screw and strap		
12221 Battery cap	21.6	
Aimpoint® CompM4 Battery cap and strap		

	12306 Cap adjustment screw	13.2
	All CET and ACET series produced 2015 and after and Aimpoint® CompM4 Cap adjustment screw and strap	
	10636 spare Cap adjustment screw	13.2
	All CET and ACET series produced before 2014 Cap adjustment screw with O-ring	
	12102 spare Battery cap	20.4
	Battery cap with O-ring and damper	
	11601 spare Screw M5x6, 2 pieces	6
	Aimpoint® CompM4	
	11600 spare Screw M5x15, 2 pieces	6
	Aimpoint® CompM4	
	12208 spare Cap adjustment screw	15.6
	Aimpoint® Micro T-1 and Micro T-2Cap adjustment screw with O-ring	
	200204 Cap adjustment screw with slot	15.6
	Aimpoint® Micro T-2Cap adjustment screw with O-ring	
	200513 Battery cap	20.4
	Battery cap with O-ring and damper	

KRUVID KINNITID	12207 Aimpoint® Tool	12
	Universal tool for mounting on weapons, zeroing and opening battery compartement	
	0101044 spa Eyecup	9.6
	All CET and ACET series	
	12209 Shaft and bar locking	21.6
	11866 spare Screw, M3, 4 pieces	4.8
	200231 Outer rubber cover for Aimpoint® Micro T-2	61.2
	200515 Shaft and bar locking	21.6

ACRO P-2 LISAD

200520	Acro mounting plate for Glock MOS	50.4
200521	Acro mounting plate for HK SFP9	50.4
200522	Acro mounting plate for CZ P-10 C OR	50.4
200577	Acro mounting plate for CZ Shadow 2 OR	50.4
200523	Acro mounting plate for S&W M&P9	50.4
200524	Acro mounting plate for Beretta APX	50.4
200525	Acro mounting plate for Sig Sauer P320	50.4
200576	Acro mounting plate for Sig Sauer X-Five	50.4
200665	Acro mounting plate for Sig Sauer P320/M17	50.4
200578	Acro mounting plate for Walther Q5 Match	50.4
200579	Acro mounting plate for FNX-45 Tactical	50.4
200580	Acro mounting plate for Silencerco Maxim 9	50.4
200698	Acro rear sight mounting plate for CZ Shadow 2 For CZ Shadow 2 handguns without Optic Ready system	50.4
200663	Acro rear sight mounting plate for CZ P-10 For CZ P-10 handguns without Optic Ready system	58.8
200622	Acro rear sight mounting plate for Glock For Glock handguns without Optic Ready system	50.4
200614	Acro rear sight mounting plate for Beretta APX For Beretta APX handguns without Optic Ready system	58.8
200526	Acro mounting plate for Micro interface Conversion kit	22.8
200602	Acro mounting plate for RMR interface Conversion kit	50.4
200697	Acro 45° Angle mount Fits on Picatinny rail	118.8
200666	Acro Mount 22 mm	75.6

Fixed mount for Acro sights
22 mm optical axis
For Weaver and Picatinny rail

200517 Acro QD Mount 22 mm 98.4

Quick Detachable Mount for Acro sights
22 mm optical axis
For Weaver and Picatinny rail

200518 Acro QD Mount 30 mm 108

Quick Detachable Mount for Acro sights
30 mm optical axis
For Weaver and Picatinny rail

200519 Acro QD Mount 39 mm 110.4

Quick Detachable Mount for Acro sights
39 mm optical axis
For Weaver and Picatinny rail

200681 Acro adapter ring for 30mm tube 73.2

Tube ring for scopes
Including Screws

200682 Acro adapter ring for 34mm tube 73.2

Tube ring for scopes
Including Screws

